

Prices 09.09.2021 / Thermokynnys HD-plus standard treshold without heating system

Length mm	Width mm	Thickness mm	Material	Weight kg (4.8 kg/m)	Mountings mm/center	Price € (vat 0%)	Price € (vat 24%)	Shipping € (vat 0%)	Shipping € (vat 24%)
2500	20*150*30	3	Acid-proof stainless steel (AISI316)	12	Stainless rebar 7/400	402,42	499,00	37,00	45,88
3200	20*150*30	3	Acid-proof stainless steel (AISI316)	14,4	Stainless rebar 7/400	483,06	599,00	38,00	47,12
4500	20*150*30	3	Acid-proof stainless steel (AISI316)	21,6	Stainless rebar 7/400	926,61	1149,00	39,68	49,20
6000	20*150*30	3	Acid-proof stainless steel (AISI316)	28,8	Stainless rebar 7/400	1128,23	1399,00	39,68	49,20
								Additional home delivery cost	
								31,70	39,31



If mountings 600mm - ask for shipping costs

Prices 09.09.2021 / Thermokynynys HD-plus standard treshold with a heating system

Length mm	Width mm	Thickness mm	Material	Weight kg (4.8 kg/m)	Mountings mm/center	Price € (vat 0%)	Price € (vat 24%)	Shipping € (vat 0%)	Shipping € (vat 24%)
2500	20*150*30	3	Acid-proof stainless steel (AISI316)	12	Stainless rebar 7/400	1063,71	1319,00	37,00	45,88
3200	20*150*30	3	Acid-proof stainless steel (AISI316)	14,4	Stainless rebar 7/400	1233,06	1529,00	38,00	47,12
4500	20*150*30	3	Acid-proof stainless steel (AISI316)	21,6	Stainless rebar 7/400	1749,19	2169,00	39,68	49,20
6000	20*150*30	3	Acid-proof stainless steel (AISI316)	28,8	Stainless rebar 7/400	2039,52	2529,00	39,68	49,20
								Additional home delivery cost	
								31,70	39,31



If mountings 600mm - ask for shipping costs

Prices 09.09.2021 / Thermokynnys HD standard treshold (S235JRC) without heating system

Length mm	Width mm	Thickness mm	Material	Weight kg (4.8 kg/m)	Mountings mm/center	Price € (vat 0%)	Price € (vat 24%)	Shipping € (vat 0%)	Shipping € (vat 24%)
2500	20*150*30	3	Steel S235JRC	12	Rebar 8/400	342,74	425,00	37,00	45,88
3200	20*150*30	3	Steel S235JRC	14,4	Rebar 8/400	434,68	539,00	38,00	47,12
4500	20*150*30	3	Steel S235JRC	21,6	Rebar 8/400	579,84	719,00	39,68	49,20
6000	20*150*30	3	Steel S235JRC	28,8	Rebar 8/400	725,00	899,00	39,68	49,20
								Additional home delivery cost	
								31,70	39,31



If mountings 600mm - ask for shipping costs

Prices 09.09.2021 / Thermokynnsys HD standard treshold (S235JRC) with a heating system

Length mm	Width mm	Thickness mm	Material	Weight kg (4.8 kg/m)	Mountings mm/center	Price € (vat 0%)	Price € (vat 24%)	Shipping € (vat 0%)	Shipping € (vat 24%)
2500	20*150*30	3	Steel S235JRC	12	Rebar 8/400	1007,26	1249,00	37,00	45,88
3200	20*150*30	3	Steel S235JRC	14,4	Rebar 8/400	1184,68	1469,00	38,00	47,12
4500	20*150*30	3	Steel S235JRC	21,6	Rebar 8/400	1321,77	1639,00	39,68	49,20
6000	20*150*30	3	Steel S235JRC	28,8	Rebar 8/400	1636,29	2029,00	39,68	49,20
								Additional home delivery cost	
								31,70	39,31

If mountings 600mm - ask for shipping costs



Prices 09.09.2021 / Acid-proof stainless steel (AISI316) edge reinforcement for Thermokynnsys

Length mm	Width mm	Thickness mm	Material	Weight kg (2,37 kg/m)	Mountings mm/center	Price € (vat 0%)	Price € (vat 24%)	Shipping € (vat 0%)	Shipping € (vat 24%)
2500	50*50	3	Acid-proof stainless steel (AISI316)	5,9	Stainless rebar 7/400	257,26	319,00	22,07	27,37
3200	50*50	3	Acid-proof stainless steel (AISI316)	7,1	Stainless rebar 7/400	321,77	399,00	23,00	28,52
4500	50*50	3	Acid-proof stainless steel (AISI316)	10,6	Stainless rebar 7/400	418,55	519,00	23,68	29,36
6000	50*50	3	Acid-proof stainless steel (AISI316)	14,2	Stainless rebar 7/400	515,32	639,00	23,68	29,36
								Additional home delivery cost	
								31,70	39,31



Prices 09.09.2021 / Hot-dip galvanized carbon steel (S235JRC) edge reinforcement for Thermokynnsys

Length mm	Width mm	Thickness mm	Material	Weight kg (2,37 kg/m)	Mountings mm/center	Price € (vat 0%)	Price € (vat 24%)	Shipping € (vat 0%)	Shipping € (vat 24%)
2500	50*50	3	Steel S235JRC	5,9	Rebar 8/400	192,74	239,00	22,07	27,37
3200	50*50	3	Steel S235JRC	7,1	Rebar 8/400	233,06	289,00	23,00	28,52
4500	50*50	3	Steel S235JRC	10,6	Rebar 8/400	305,65	379,00	23,68	29,36
6000	50*50	3	Steel S235JRC	14,2	Rebar 8/400	370,16	459,00	23,68	29,36
								Additional home delivery cost	
								31,70	39,31



Prices 09.09.2021 / Thermokynnsys Lite standard treshold hot-dip galvanized carbon steel (S235JRC) without heating system

Length mm	Width mm	Thickness mm	Material	Weight kg (3,07 kg/m)	Mountings mm/center	Price € (vat 0%)	Price € (vat 24%)	Shipping € (vat 0%)	Shipping € (vat 24%)
2500	60*40	3	Steel S235JRC	7,7	Rebar 8/400	257,26	319,00	22,07	27,37
3200	60*40	3	Steel S235JRC	9,8	Rebar 8/400	321,77	399,00	23,00	28,52
4500	60*40	3	Steel S235JRC	13,8	Rebar 8/400	418,55	519,00	23,68	29,36
6000	60*40	3	Steel S235JRC	18,4	Rebar 8/400	515,32	639,00	23,68	29,36
								Additional home delivery cost	
								31,70	39,31



If mountings 600mm - ask for shipping costs